

Decking

Product Brochure



15 Year Warranty

Knotwood products are supported by an up to 15 year performance warranty on the powder coating.

Made in Australia

Our aluminium is sourced from North Queensland and extruded & finished on the Gold Coast.

K KNOTWOOD
It's not wood, It's aluminium.




Non combustible and heat dissipating. Great wood alternative that does not rot or require resealing. Knotwood decking is versatile and can be used on balconies, roof terraces, walkways, poolsides and gardens.


Interlocking Boards
T-Clip Boards
Starters
Joiners
Angles

Specifications

INTERLOCKING



T-CLIP



Benefits

All of our modular profiles give you incredible customisation with:

- _Profile shapes and sizes.
- _Spacing preference.
- _Batten and slat angle options.
- _Different backing alternatives.
- _A range of finishes.



NON WARPING

Aluminium is not only lighter and stronger but it's also straighter than real wood.



COLOUR STABILITY

All of our colours have been rigorously tested to withstand the most extreme environments.



NON POROUS

Knotwood is non porous and will not swell, grow mould or mildew when exposed to wet conditions.



NON COMBUSTIBLE

Knotwood is a non combustible product and manufactured to meet relevant international fire standards.



ECO FRIENDLY

Knotwood uses VOC free coatings, lead free finishes and is 100% recyclable.



STAIN & SCRATCH RESISTANT

Our specialty top coats provide resistance to chipping, flaking and blistering.



INSECT PROOF


Knotwood is impervious to termites and ants, and doesn't require chemical treatments to be protected from pests.



LOW MAINTENANCE


Our specialised finishes have outstanding properties to ensure ease of maintenance and longevity of your surfaces.

Interlocking Boards




KEDI150

T-Clip Boards



KEDP150

Starters



KESTR-SQ

KACLIPDSTART


Joiner



KEDPTJ-D

KACLIPDJOIN-P

Angles



KEDFAH5050


KEDFA5050

Endcaps


Matching aluminium endcaps are offered to suit T-Clip Boards. The endcaps are a press fit design.

Specifications

INTERLOCKING



T-CLIP





Decking Colours

Our decking colours have been specially developed to be more durable, hard-wearing and low maintenance than traditional wood decks. All colours include a slip resistant coating that meets relevant international standards.



Product Considerations

*Knotwood has carefully managed the colours being presented in the images to ensure they are as close as possible to the true production colour. Colours displayed should be used as a guide for your colour selection. To ensure best accuracy, test your colour choice at home by requesting Colour Swatches.

Consulting

Knotwood's consultants offer expert advice on which products and components will best suit your project. Our recommendations factor in the competitive price market and the need to design for low maintenance without compromising on aesthetics.

BIM & CAD

Knotwood products can be requested in various file types. Drawings include product componentry to general detailing for a wide range of applications. Basic 2D DWG are also available.

Project Costings

Our range of services include budgeting options through to pricing for tenders. We are set up to measure from PDF drawings, which are returned with itemised estimates, enabling cross-reference of quantities.

Samples

We use overnight express and aim to deliver samples to your premises within 48 hours. Please contact your Knotwood sales representative for lead times on custom sample orders.

Terms & Conditions

Knotwood reserves the right to vary product specifications or delete products without prior notification, and takes no responsibility for printing errors. Dimensions are approximate. Information provided is representative of the products available at the time of printing and subject to change without notice.

Due to the manufacturing process up to 50mm (25mm of each end) of the extrusion may need to be trimmed back.

Our range of power coated products are supported by an up to 15 year performance warranty on the powder coating.

Contact your Knotwood representative for further details.



Battens Cladding Slats Decking

* Contact your Knotwood representative
for additional Product Brochures.

Australia

www.knotwood.com.au
sales@knotwood.com.au
1300 566 896

United Kingdom

www.knotwood.co.uk
sales@knotwood.co.uk
0800 131 3165